



PREDATOR 68 SPECIFICATION DOCUMENT

PRINCIPAL CHARACTERISTICS

Classification	CE		
Length overall – (incl. pulpit and platform)	21.7m	71' 2"	
Length waterline	16.42m	53' 10"	
Beam – (maximum)	5.09m	16' 9"	
Draft – (@ full load incl. props)	1.58m	5' 2"	
Displacement – (@ half load)	37,300kg	82,209lb	
Fuel capacity	3,500 litres	770 GB gal.	925 US gal.
Freshwater capacity	800 litres	176 GB gal.	211 US gal.
Propulsion	Twin FP props in tunnels		
Engine options	up to 3244PS (total)		
Fuel options	Diesel		
Generators – standard	1 x 19kW @ 50Hz 230v single phase (Euro)		
	1 x 23kW @ 60Hz 120/240v single phase (US)		
Maximum speed	up to 33 knots*		
Cruising speed	up to 24 knots*		
Range	up to 300 nautical miles*		



PREDATOR 68 SPECIFICATION DOCUMENT

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single-skin bottom
Balsa-cored hull topsides
PVC foam-cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Fittings all in stainless steel
8 x stainless steel deck cleats
Pulpit and cockpit rails
Stainless steel fendering with rubber insert
Curved safety glass windscreen
Stainless steel bow roller with anchor stop
Stainless steel bow plate
Delta anchor and 60m chain (galvanised)
Electric winch and capstan with deck and Interior helm controls
Chain locker/fender stowage
Fender tie bar under anchor locker lid
Fore deck coach-roof storage lockers
Fuel fillers port and starboard
Fresh water filler
IMCO navigation lights
2 x Pantograph windscreen wipers and washers
Garage for tender
Ensign staff and socket

3 Bathing Platform

Hydraulic lifting platform
Teak-laid bathing platform and steps
Hot and cold swimming shower
Fresh water marina connection
Dockside AC shore power connection
Stainless steel swimming ladder

4 Aft Cockpit

Self-draining
Teak-laid cockpit decking
Stern safety door
Cockpit speakers with CD remote
Wetbar sink with hot and cold water, cool box, ice maker, locker and griddle
Upholstered seating around cockpit table
Large stern sunbather
Lockers beneath seating
Overhead cockpit lights 24v
Low-level courtesy lights 24v
Engine room access hatch
Boat hook

5 Helm Console

Twin helm seats
Navigation console with chart area
Hydraulic power steering
Leather rimmed steering wheel
Analogue engine instrumentation
Chart plotter with GPS
Radar open scanner
Autopilot
Speed and depth instrumentation
VHF radio with DSC
Rudder indicator
Water tank gauge
Fuel tank gauge
Trim tab controls
Single-lever electronic engine controls
Magnetic compass
Waterproof plug and socket 12v
Horn
Windscreen wipers and washers
Glass holders
Hand-held fire extinguisher

6 Deck Saloon

Separate dining area with table
Stowage beneath seats
Television 55" on fall and rise system
Blu-ray/DVD/CD cinema sound system
AirPort Express
Drinks cupboard
Overhead halogen lighting LED 24v
Stainless steel sliding door to cockpit
Main control panel (AC/DC)
Generator controls
Air conditioning
3 x double AC sockets
Wood flooring
Choice of interior finishes and veneers
Scatter cushions

7 Galley

Sink and drainer
3-ring ceramic touch-control hob and extractor fan
Electric refrigerator
Electric freezer
Microwave convection oven
Hot and cold water
Rubbish bin
Cupboard and drawer storage
8 place crockery set
8 place cutlery set
2 x double AC sockets
Hand-held fire extinguisher
First aid kit
Wood flooring



PREDATOR 68 SPECIFICATION DOCUMENT

8 Forward Stateroom

- Double berth
- Storage beneath
- Drawer in base-end
- 2 x reading lights 24v
- Outboard shelving and cupboards
- Overhead bedside cupboards
- Hanging wardrobes with mirrored panel
- Overhead lights LED 24v
- 2 x opening portholes with mosquito screens
- Portlight blinds
- Deck hatch with blind and mosquito screen
- Skylight
- 2 x double AC sockets
- Door to shower room
- Fitted carpet
- Air conditioning
- 32" television
- Blu-ray/DVD/CD player with speakers

9 Forward En Suite Shower Room

- Washbasin
- Taps and accessories
- Hot and cold water supply
- Separate shower compartment
- Electric toilet
- Extractor fan
- Mirrored vanity unit
- Shelved cupboard
- Toothbrush and glass holder
- Soap dispenser
- Towel ring and towels
- Overhead lights
- Opening porthole with mosquito screen and blind
- Razor socket 240/110v

10 Starboard Guest Cabin

- 2 x single berths
- Under-berth storage
- 2 x reading lights 24v
- Hanging wardrobe
- Overhead lighting LED 24v
- Opening porthole with mosquito screen and blinds
- Double AC socket
- Fitted carpet
- Air conditioning
- 22" television
- Blu-ray/DVD/CD player with speakers

11 Starboard En Suite Shower Room

- Washbasin
- Taps and accessories
- Hot and cold water supply
- Separate shower compartment
- Electric toilet
- Extractor fan
- Mirrored vanity unit
- Shelved cupboard
- Toothbrush and glass holder
- Soap dispenser
- Towel ring and towels
- Overhead lights LED
- Opening porthole with mosquito screen and blind
- Razor socket 240/110v

12 Master Aft Stateroom

- Double berth
- Cupboard and drawer stowage
- 2 x reading lights 24v
- Bedside drawers
- Walk-in wardrobe
- Overhead lights LED 24v
- 2 x large windows with opening portholes, mosquito screens and blinds
- Two double AC sockets
- Door to shower room
- Fitted carpet
- Settee
- Air conditioning
- 32" television
- Blu-ray/DVD/CD player with speakers

13 Aft En Suite Shower Room

- Washbasin
- Taps and accessories
- Hot and cold water supply
- Separate shower compartment
- Electric toilet
- Extractor fan
- Mirrored vanity unit
- Shelved cupboard
- Toothbrush and glass holder
- Soap dispenser
- Towel ring and towels
- Overhead lights LED
- Opening porthole with mosquito screen and blind
- Razor socket 240/110v

14 Crew Cabin

- Entrance door from rear cockpit
- Two single berths
- Wardrobe
- Storage locker
- Opening porthole with mosquito screen
- Overhead lights LED
- Reading lights 24v DC
- Double AC socket
- Air conditioning
- Separate shower room with hot and cold water
- Electric toilet and holding tank
- Shaver socket 240/110v

15 Electrical System

- 19kW 50Hz generator with underwater silent exhaust and sound shield
- AC dockside connection
- Galvanic isolator
- 24v and 12v DC electrical system with full circuit breaker protection
- 8 x engine batteries 24v circuit
- 4 x domestic batteries 24v circuit
- 2 x generator batteries 12v circuit
- Alternator split charging system
- Remote battery switches controlled from locker in cockpit
- Battery charger for 24v circuits
- Battery charger for 12v circuits
- Water heater
- AC electrical sockets throughout the boat
- 24v hand light and cable



PREDATOR 68 SPECIFICATION DOCUMENT

16 Engine Compartment and Ancillaries

- Soundproofing throughout
- Fuel filters/water separators to engines
- Fuel filters/water separators to generators
- Automatic bilge and flood pumps with high-level alarms
- Generator exhaust silencers and water separators
- Engine exhaust dry risers and water injection
- Strainers to all raw water inlets
- Power steering – hydraulic control steering
- Garage door and trim tabs hydraulic control unit
- Lifting platform hydraulic control unit
- Air intakes fitted with emergency shutdown flaps (automatically operated)
- Air extraction fans (AC) fitted with butterfly shutdown dampers
- Exhaust gas temperature sensor
- Fluorescent lights (AC)
- Engine room fire extinguishing system (FM200)
- 1 x AC 220v socket
- 1 x 24v socket
- Portable CO₂ fire extinguisher
- Inspection lamp

17 Underwater Gear

- Bow thruster – Electric 24v
- Seawater strainers – nickel-plated bronze
- Full cathodic bonding system to zinc anodes
- Hydraulic trim tabs – stainless steel
- Propeller shafts – Temet 25
- High performance rudders – AB2
- P-brackets – NAB nickel aluminium bronze c/w water lubricated bearing
- Self-aligning shaft seal including spare seal
- 5-blade AB2 bronze propellers

18 Systems

- Hydraulic power steering
- Electric toilet system with integral macerator (24v)
- Toilets discharging overboard or to black water tank
- Black water tank discharging to dockside or overboard
- Aluminium fresh water tank with electric sending unit
- Fuel tank with electric sending unit
- Water pressure system (24v)
- Washbasins, showers and air conditioning fan coils to drain to grey water tank
- Grey water tank discharging overboard
- Self-contained air conditioning system (reverse cycle) AC
- Bilge pumping system (24v)
- Manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
- Auxiliary hydraulics for trim tabs and platform (24v)

19 Miscellaneous

- Toolkit
- Boat hook
- 4 x mooring ropes
- 8 x fenders
- 3 sets towels

Optional Extras

- Retractable electric awning
- Teak side decks
- Hydraulic gangway
- Bow sunbathing cushions

DISCLAIMER

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect the boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of Contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only, should not be relied upon, and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however, by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.